NEMA 1-15P Straight and Angled Plugs



Volex offers various types of NEMA 1-15P with a maximum rating of 15A at 125V. These 2 pin plugs are offered with solid or folded pins to suit your application. All are designed and manufactured with UL/c-UL and CSA safety approvals to meet industry standards, including:



NEMA 1-15P STRAIGHT AND ANGLED PLUGS						
Standard		UL 817, CSA Std. C22.2				
Max. Rating		15A, 125V				
Safety Approval		UL/c-UL, CSA				
Catalogue No.	Cable Type	Size	Maximum Rating	Safety Approvals		
ME301S	NISPT-1	2 x AWG 16	13A	CSA		
		2 x AWG 18	10A	UL, c-UL, CSA		
	NISPT-2	2 x AWG 16	13A	UL, c-UL, CSA		

Catalogue No.	Cable Type	Size	Maximum Rating	Safety Approvals
VNUS15S2, ME301S, US15S2	NISPT-2	2 x AWG 18	10A	
ME301S, US15S2	SPT-1	2 x AWG 18	10A	
ME301S	SPT-2	2 x AWG 16	13A	
VNUS15S2, ME301S, US15S2	SPT-2	2 x AWG 18	10A	
ME301S	SPT-3	2 x AWG 18	10A	
ME302	SJ	2 x AWG 16	13A	
	SJ	2 x AWG 18	10A	UL, c-UL, CSA
	SJO	2 x AWG 16	13A	
	SJO	2 x AWG 18	10A	
	SJT	2 x AWG 16	13A	
	SJT	2 x AWG 16	13A	
	SJT	2 x AWG 18	10A	
	SJTOW	2 x AWG 16	13A	
	SJTOW	2 x AWG 18	10A	
	SJTW	2 x AWG 16	13A	
	SJTW	2 x AWG 18	10A	
	SJTW	2 x AWG 18	10A	
	SVT	2 x AWG 16	13A	
	SVT	2 x AWG 17	12A	
	SVT	2 x AWG 18	10A	
	SVT	2 x AWG 18	10A	

Still not finding what you need?

We have customized variants with special features such as modern looking plugs; plugs with cord grips, anti-tracking housing, embedded suppressor choke, and others.


Contact us for more information.

NEMA 1-15P PLUGS TECHNICAL INFORMATION

Volex VNUS15S2, ME301S, ME302 and US15S2 are straight NEMA 1-15P plug variants that are designed for low current applications.

Our safety approvals cover wide range of PVC and rubber cables that cater to various home and office appliance or equipment. These plugs can be matched with our complete range of IEC connectors, free-end or various terminations.

NEMA 1-15P PLUGS TECHNICAL DRAWINGS



Contact us at **sales@volex.com** for assistance in finding the right solution for your needs.